OHIO PUBLIC WORKS COMMISSION

77 South High Street, Room 1629 Columbus, Ohio 43266-0303 (614) 466-0880

APPLICATION FOR FINANCIAL ASSISTANCE

PROJECT NAME PROJECT TYPE TOTAL COST \$ DISTRICT NUMBER COUNTY	Cincinnati, Victory Par Street reha 218,000 2 Hamilton	rkway (south) Rehabilita	tion	
PROJECT TYPE TOTAL COST \$ DISTRICT NUMBER COUNTY	Street reha 218,000 2) Rehabilita	tion	
COUNTY	2 Hamilton				
Inis section to be completed by District DISTRICT FUNDING REC	t Committee ON				
AMOUNT OF REQUEST:		91,000.00			÷
FUNDING SOURCE (Che	eck Only	One):	,		;
State Issu	ue 2 Small ue 2 Emerg	t Allocation Governmer gency Fund n Improver	nt Funds	n	

1.0 APPLICANT INFORMATION

1.1	CONTACT PERSON TITLE STREET CITY/ZIP	Doug Perry Senior Engineer 801 Plum Street Room 435, City Hall Cincinnati 45202
	PHONE FAX	(513) <u>352 - 3407</u> ()
1.2	CHIEF EXECUTIVE OFFICER TITLE STREET	Scott Johnson City Manager 801 Plum Street Room 152, City Hall
	CITY/ZIP PHONE FAX	Cincinnati 45202 (513) 352 - 3241 () -
1.3	CHIEF FINANCIAL OFFICER TITLE STREET CITY/ZIP	Frank Dawson Director of Finance 801 Plum Street Room 250, City Hall Cincinnati, Ohio 45202
	PHONE FAX	(513) <u>352 -3732</u> ()
1.4	PROJECT MGR TITLE STREET CITY/ZIP	Bob Cordes Principal Highway Design Engineer 801 Plum Street Room 435, City Hall Cincinnati 45202
	PHONE FAX	(513) <u>352 - 3409</u> ()
1.5 :	DISTRICT LIAISON TITLE STREET	William Brayshaw Deputy County Engineer 138 East Court Street County Administration Building
÷	CITY/ZIP PHONE FAX	Cincinnati 45202 (513) 632 - 8523 () -

2.0 PROJECT SCHEDULE

ESTIMATED ESTIMATED START DATE COMPLETE DATE

2.1 ENGR. DESIGN

2.2 BID PROCESS

2.3 CONSTRUCTION

10 / 1 / 89 4 / 1 / 90 4 / 1 / 90 6 / 1 / 90 6 / 1 / 91

3.0 PROJECT INFORMATION

3.1 PROJECT NAME: Victory Parkway (south) Rehabilitation

3.2 BRIEF PROJECT DESCRIPTION

A. SPECIFIC LOCATION:

Victory Parkway from Lincoln Avenue to Gilbert Avenue (see attached map)

B. PROJECT COMPONENTS:

Rehabilitation of existing roadway including repair and replacement of curb, removal of existing asphalt surface, base and joint repairs, inlet and connection pipe repairs, casting adjustments and resurfacing with a minimum of 2 inches of asphaltic concrete.

C. PHYSICAL DIMENSIONS/CHARACTERISTICS:

Roadway is 4 lanes, 40 feet wide and 2600 feet in length.

D. DESIGN SERVICE CAPACITY:

3.3 REQUIRED SUPPORTING DOCUMENTATION

Attach Pages.

4.0 PROJECT FINANCIAL INFORMATION

Attach Page.

4.1	PROJECT ESTIMATED CO) 515 (RO	und to Nearest Do	oliar):
a)	Project Engineering Costs: 1. Preliminary Engineering 2. Final Design		\$ 2,000 \$ 4,000	
b)	3. Construction SupervisionAcquisition Expenses1. Land	1	\$ 10,000 \$ -	
c) d) e) f)	 Right-of-Way Construction Costs Equipment Costs Other Direct Expenses Contingencies 		\$ 182,000 \$ - \$ - \$ 20,000	
g)	TOTAL ESTIMATED COSTS	•	\$ 218,000	
4.2	TOTAL PORTION OF PROREPAIR/REPLACEMENT	DJECT	\$ 218,000'	-
4.3	TOTAL PORTION OF PRONEW/EXPANSION	DJECT	\$	_
4.4	PROJECT FINANCIAL RES	SOURC	ES (Round to Nea	rest Dollar and Percent
4.4 a) b) c) d)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs OPWC Funds		Dollars \$	west Dollar and Percent
a) b) c)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs		Dollars \$ \$ \$ \$ \$ \$	%
a) b) c) d)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs OPWC Funds		Dollars \$ \$127,000 \$ \$ \$ \$ \$ \$ \$	%
a) b) c) d)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs OPWC Funds TOTAL FINANCIAL RESOURC	E S	Dollars \$	%
a) b) c) d) e) f)	Local In-Kind Contributions Local Public Revenues Local Private Revenues Other Public Revenues 1. State of Ohio 2. Federal Programs OPWC Funds TOTAL FINANCIAL RESOURC STATUS OF FUNDS Attach Documentation.	ES Local Sh from Cap approved Capital	Dollars \$	% 58 42 100 costs will come funds which will be

5.0 APPLICANT CERTIFICATION

The Applicant Certifies That:

As the official representative of the Applicant, the undersigned certifies: that he/she is legally empowered to represent the applicant in both requesting and accepting financial assistance as provided under Chapter 164 of the Ohio Revised Code: that to the best of his/her knowledge and belief, all representations that are a part of this application kevised Code; that to the pest of his/her knowledge and belief, all representations that are a part of this application are true and correct; that all official documents and commitments of the applicant that are a part of this application have been duly authorized by the governing body of the Applicant; and, should the requested financial assistance be provided, that in the execution of this project, the Applicant will comply with all assurances required by Ohio law, including those involving minority business utilization, equal employment opportunity, Buy Ohio, and prevailing wages.

	SCOTT	JOHNSON , CITY MANAGER
Cer	tifying Represe	entative (Type Name and Title)
	(Jaluar	_
Sigr	nature/Date Sig	gned
Applion my	cant shall circle the opposition.	appropriate response to the statements. I have included the following:
YES	NO	Two-year Maintenance of Local Effort Report as required in 164-1-12 of the Ohlo Administrative Code.
YES	NO.	A registered professional engineer's estimate of useful life as required in 164-1-13 of the Ohio Administrative Code.
YES	NO	A registered professional engineer's estimate of cost as required in 164-1-14 and 164-1-16 of the Ohio Administrative Code.
(VES)	NO	Two (2) copies of a 5-year Capital improvements Report have been submitted to my District integrating Committee as required in 164-1-31 of the Ohio Administrative Code.
YES	NO	A "status of funds" report per section 4.5 of this application.
YES	NO (N/A)	A copy of the cooperative agreement (for projects involving more than one subdivision).
YES	NO N/A	Copies of all warrants for those Items Identified as "pre-paid" in section 4.6 of this application.
-		

6.0 DISTRICT COMMITTEE CERTIFICATION

The District Integrating Committee for District Number $\frac{2}{1}$.	_ Certifies
As the official representative of the District Public Works Integrating Committee, the undersigned hereby this application for financial assistance as provided under Chapter 164 of the Ohio Revised Code selected by the appropriate body of the District Public Works integrating Committee: that the project based entirely on an objective. District-oriented set of project evaluation criteria and selection method fully reflective of and in conformance with Ohio Revised Code Sections 164.05, 164.06, and 164.14, and 164.14 of the Ohio Administrative Code; and that the amount of financial assistance hereby recommendently derived in consideration of all other financial resources available to the project. As explority derived in consideration of required project evaluation criteria, the results of this project's ratings under attached to this application.	s selection was dology that are declarated has been vidence of the
Donald C. Schramm, Chairperson, Dist. 2 Integrating Committee	
Certifying Representative (Type Name and Title) Description of the Contraction of the Co	
Linald C. Senjanum	<u>-</u> `

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

CINCINNATI CAPITAL IMPROVEMENT BUDGET, 1988

PROJECT NAME	PROJECT TYPE	FUNDING SOURCE	FUNDING	AMOUNT
Street Rehabilitation	Rehabilitation	Street Improvement Bond Fund	\$ 7,75	50,000
Street Rehabilitation	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 1.85	50,000
Southside Avenue Bridge Replacement	Replacement	Income Tax Perm. Improvement Fund	\$ 1,48	26,000
Eggleston Avenue Improvement	Widening & Channelizing	Income Tax Perm. Improvement Fund	\$ 38	25,000
Bridge Investment Protection Program	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 15	25,000
Wall Stabilization & Landslide Correction	Rehabilitation & Replacement	Income Tax Perm. Improvement Fund	\$ 50	000,000
City Sidewalks, Drives, Etc.	Replacement	Income Tax Perm. Improvement Fund	\$ 37	75,000
City Hillside Stair Renovation	Rehabilitation & Replacement	Income Tax Perm. Improvement Fund	\$ 5	50,000
Impact Attenuators	Installation	Income Tax Perm. Improvement Fund	\$ 5	50,000
Hopple-Beekman- Westwood Northern Blvd. Intersection	Widening	Income Tax Perm. Improvement Fund	\$ 10	00,000
Bridge Rehabilitation	Rehabilitation	Income Tax Perm. Improvement Fund	\$ 31	0,000

OCTOBER 31, 1989

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

CINCINNATI CAPITAL IMPROVEMENT BUDGET, 1989

PROJECT NAME	PROJECT TYPE	FUNDING SOURCE	FUNI	DING AMOUNT
Hopple-Beekman- Westwood Northern Blvd. Intersection	Widening	Street Improvement Bond Fund (from Issue 1 Funds)	\$	315,000
Monastary Street	Hillside Stabilization	Income Tax Perm. Improvement Fund	\$	300,000
Guerley Road	Widening	Street Improvement Bond Fund	\$	50,000
Street Rehabilitation	Rehabilitation	Street Improvement Bond Fund	\$ 1	,710,000
City Sidewalks, Drives, Etc.	Replacement	Street Improvement Bond Fund	\$	200,000
City Hillside Stair Renovation	Rehabilitation & Replacement	Street Improvement Bond Fund	\$	190,000
Wall Stabilization & Landslide Correction	Rehabilitation & Replacement	Street Improvement Bond Fund	\$	500,000
Belmont Avenue	Widening	Income Tax Perm. Improvement Fund	\$	300,000
Brighton Connection	Intersection Improvement	Income Tax Perm. Improvement Fund	\$	400,000
Calhoun Street	Widening	Street Improvement Bond Fund	\$	100,000
Clifton Avenue	Realignment	Street Improvement Bond Fund	\$	150,000
Elberon Avenue	Landslide Correction	Street Improvement Bond Fund	\$	60,000

2 YEAR MAINTENANCE OF LOCAL EFFORT REPORT

		· · · · · · · · · · · · · · · · · · ·		
Hamilton Avenue	Widening	Street Improvement Bond Fund	\$	200,000
Maryland Avenue	Landslide Correction	Street Improvement Bond Fund	\$	100,000
Queen City Avenue -	Widening	Street Improvement Bond Fund	\$	700,000
Rapid Transit Tubes Under Central Parkway	Rehabilitation	Street Improvement Bond Fund	\$	300,000
Stadium/Coliseum Bridges	Rehabilitation	Street Improvement Bond Fund	\$	120,000
Waits Avenue	Widening	Street Improvement Bond Fund	\$	50,000
Waldvogel Viaduct	Rehabilitation	Street Improvement Bond Fund	\$	200,000
Warsaw/Waldvogel Ramp	Landslide Correction	Street Improvement Bond Fund	\$	130,000
Groesbeck Road	Widening	Street Improvement Bond Fund	\$	100,000
U.S. 50/Sixth Street Expressway	Rehabilitation	Street Improvement Bond Fund	#	100,000

City of Cincinnati



Department of Public Works Division of Engineering Room 440, City Hall 801 Plum Street Cincinnati, Ohio 45202

George Rowe Director

Thomas E. Young City Engineer

October 31, 1989

Subject: Victory Parkway (South) Rehabilitation

Lincoln Avenue to Gilbert Avenue

Certification of Useful Life of Issue 2 OPWC Projects

As required by Chapter 164-1-13 of the Ohio Administrative Code, I hereby certify that the design useful life of the subject street rehabilitation project is at least twenty (20) years.




(seal)

T.E. Young P.E. City Engineer City of Cincinnati

1990 STREET REHABILITATION. STATE ISSUE #2 Victory Parkway (South)

REF.	ITEM NO.	ESTIMATED QUANTITIES	DESCRIPTION	EST. UNIT PRICE	ESTIMATED COST
1	103.05	lump	Contract Bond		\$3,610.00
2	Special	700 s.y.	Part Depth Pavt. Rep(Conc. Pavt.)	\$27.00	\$1B,900.00
3	Special			\$B0.00	\$800.00
4	Special	100 l.f.	Connection Pipe Cleaned	\$10.00	\$1,000.00
5	202	100 s.y.	Rigid Pavt. Removed-Full Depth	\$25.00	\$2.500.00
5	202	12,700 s.y.	Wearing Course Removed	\$1.50	\$19,050.00
7	10E	25 c.y.	Bituminous Aggregrate Base(9")	\$B5.00	\$2.125.00
8	304	20 c.y.	Aggregate Base	\$25.00	\$500.00
9	403	370 c.y.	Asphalt Concrete Leveling Course	\$62.00	\$22,940.00
10	404	370 c.y.		\$62.00	\$22,940.00
11	E04	50 l.f.	12" Conduit, Type "H"	\$30.00	\$1,500.00
12	604	6 ea.	Manhole Adjust to Grade W/O Ring	\$175.00	\$1,050.00
13	604	l ea.	Valve Chambers Adjust W/O Ring	\$175.00	\$175.00
14	604	5 ea.	SGI Adjusted To Grade	\$220.00	\$1,100.00
15	604	18 ea.	SGI Repaired & Adjusted To Grade	\$240.00	\$4,320.00
16	604	4 ea.	DGI Adjusted To Grade	\$230.00	\$920.00
17	604	2 ea.	DGI Repaired & Adjusted To Grade	\$240.00	\$520.00
18	604	3 ea.	Const. of DGI/CI Aband Old Inlet	\$1,250.00	\$3,750,00
19	608	450 s.f.	Handicap Ramp	\$4.00	\$1,800.00
50	804	100 s.f.	Concrete Walk	\$4.00	\$400.00
21	609	4.000 l.f.	Concrete Curb Repair, Type F-4	\$14.00	\$64,000.00
22	609	120 l.f.	Concrete Curb ,Type S-1	\$15.00	\$1,800.00
23	609	100 l.f.	Concrete Curb ,Type L-1	\$B.00	\$800.00
24	627	100 s.f.	Concrete Driveway	\$5.00	\$500.00
25	660	1,500 l.f.	Sod Restoration	\$2.00	\$3,000.00
58	619	lump	Field Office		\$2,000.00
				Total Cost	\$182,000.00
			Conti	ngencies	\$ 20,000.00



T. E. Young, T. E. City Engineer

Total Cost \$202,000.00

City Engineer City of Cincinnati

City of Cincinnati



Department of Finance

Room 250, City Hall 801 Plum Street Cincinnati, Ohio 45202

January 22, 1990

F. A. Dawson
Director
F. X. Wagner
Superintendent

Mr. Donald Schramm, P.E., P.S. Hamilton County Engineer 700 County Administration Building 138 East Court Street Cincinnati, Ohio 45202

Attn: Mr. Joseph Hipfel

Re: Status of funds for local share of 1990 State Issue 2 Project

Dear Mr. Hipfel:

This letter is in follow-up to conversations you have had with the Engineering Division regarding the status of the City's matching funds for the 1990 State Issue 2 program.

The local matching share is recommended by the City Manager for funding in the City's 1990 Capital Improvement Program. The funds are coming from Street Improvement Bonds which are scheduled for sale on January 31, 1990.

Very truly yours,

Ta Down

F.A. Dawson


Director of Finance

cc: T. Young, Engr.

R. Cordes, Engr.

D. Perry, Engr.

R. Cline, Engr.



APPLICATION YEAR: 1990

STATE OF OHIO

INFRASTRUCTURE BOND PROGRAM

DISTRICT 2, HAMILTON COUNTY

PROJECT APPLICATION

Jurisdiction/Agency: CITY OF CINCINNATI Population (1980): 385,000
Project Title: STREET REHABILITATION - VICTORY PARKWAY (SOUTH)
Project Identification and Location: <u>VICTORY PARKWAY FROM LINCOLN</u>
TO GILBERT
Type of Project: Rehabilitation 🗵 Replace 🗆 Betterment" 🗆
(Mark more than one box if there are expansion elements such as 2 lane bridge being replaced with a 4 lane bridge)
Explanation of Betterment Elements of Project*:
Road 🔎 Bridge 🗆 Flood Control System (Stormwater) 🗆
Detailed Description of Project": REHABILITATION OF EXISTING ROADWAY,
INCLUDING REPAIR AND REPLACEMENT OF CURB, REMOVAL OF EXISTING ASPHALT
SURFACE WHERE NEEDED, BASE & JOINT REPAIRS, INLET & CONNECTION PIPE
REPAIRS, CASTING ADJUSTMENTS AND RESURFACING WITH ASPHALTIC CONCRETE.
Type of Issue 2 Funds: District 2 Small Government C

^{**} See definition of Betterment attached.
*** Attach additional sheets if necessary.

Road percentage= Miles of road that are poor to very poor Total mileage of road within jurisdiction Storm percentage= Length of storm sewers that are poor to very; Total length of storm sewer within jurisdiction Bridge percentage= Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less table years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED DETERIORATION OF EXISTING ROADWAY. AGE OF PAVEMENT IS 35 YEARS (+-	Of the total infrasthe infrastructure as being poor serviceability.	of this proje	n the jurisdictio ect, what percent or in condition	age can be classi
Total mileage of road within jurisdiction Storm percentage= Length of storm sewers that are poor to very; Total length of storm sewer within jurisdiction Bridgs percentage= Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: by width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less the page of the infrastructure to the page of the infrast	Typical examples are	:		
Total length of storm sewer within jurisdiction Bridge percentage= Number of bridges that are poor to very poor Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surfit type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure trepaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, AND GENERAL JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	Road percentage=			
Number of bridges within jurisdiction ROAD PERCENTAGE = MILES POOR = 200 = 21.9% TOTAL MILES 915 What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surfityee and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to 20 years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, AND GENERAL JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	Storm percentage=	Length of sto Total length	orm sewers that a of storm sewer w	re poor to very poithin jurisdiction
What is the condition of the infrastructure to be replaced repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sawers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, AND GENERAL	Bridge percentage=	Number of bri Number of	dges that are poo bridges within j	or to very poor urisdiction
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
repaired? For bridges, base condition on latest general appraisal condition rating. Closed Fair to poor Extremely poor Fair Poor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL				
Extremely poor Fair Foor Good Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	What is the cond	ition of the	infrastructure	to be replaced
Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED	repaired? For brid condition rating.	ition of the dges, base cond	lition on latest g	to be replaced general appraisal
Give a brief statement of the nature of the deficiency of present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: bwidth, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	repaired? For brid condition rating. Closed	ition of the dges, base cond	lition on latest o	to be replaced general appraisal
present facility such as: inadequate load capacity (bridge), surf type and width, structural condition of surface, substandard: be width, grades, curves, sight distances, drainage structures, sanit sewers, and water mains. List the age of the infrastructure to repaired or replaced using one of the following categories: less to years, 20-29 years, 30-39 years, 40-49 years, 50 years or older PAVEMENT SHOWS SIGN OF SEVERE WEAR - PAVEMENT FAILURES, HEAVED JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	repaired? For brid condition rating. Closed	ition of the dges, base cond	fition on latest o	to be replaced general appraisal
JOINTS, SPALLED AND DETERIORATED CURB, INLET FAILURES, AND GENERAL	repaired? For brid condition rating. Closed Extremely poor	ition of the dges, base cond	lition on latest g Fair to poor Fair	to be replaced general appraisal
	repaired? For brid condition rating. Closed Extremely poor Foor Give a brief stype and width, stype and width, sewers, and water repaired or replaced	statement of uch as: inadeq tructural cond ves, sight dist mains. List dusing one of	Fair to poor Fair Good the nature of the uate load capacitation of surface, ances, drainage suche age of the ithe following cate	general appraisal ne deficiency of to the structures, sanital infrastructure to to the segories: less the segories:
DETERIORATION OF EXISTING ROADWAY. AGE OF PAVEMENT IS 35 YEARS (+-	repaired? For brid condition rating. Closed Extremely poor Foor Give a brief spresent facility stype and width, stype and width, stype and water repaired or replaced 20 years, 20-29 years	dges, base cond statement of uch as: inadeq tructural cond ves, sight dist mains. List d using one of s, 30-39 years,	Fair to poor Fair Good the nature of thuate load capacition of surface, ances, drainage sthe age of the ithe following cat 40-49 years, 50	me deficiency of the definition of the definitio
	repaired? For brid condition rating. Closed Extremely poor Foor Give a brief spresent facility stype and width, stype and width, stype and water repaired or replaced 20 years, 20-29 years PAVEMENT SHOWS SIGN	statement of uch as: inadeq tructural cond ves, sight dist mains. List d using one of s, 30-39 years,	Fair to poor Fair Good the nature of the uate load capacite ition of surface, ances, drainage sthe age of the ithe following cate 40-49 years, 50	general appraisal me deficiency of to the deficiency of the deficiency of the total substandard: be structured to the degories: less the degories: less the degories or older the degories. The degories or older the degories of the degories or older the degories of the degories or older the degories of the degories or older the degories of the degories or older the degories of the degories or older the degories of the degories of the degories or older the degories or older the degories or older the deg
	repaired? For brid condition rating. Closed Extremely poor Poor Give a brief spresent facility stype and width, stype and width, stype and water repaired or replaced 20 years, 20-29 years PAVEMENT SHOWS SIGN JOINTS, SPALLED AND	statement of uch as: inadeq tructural cond wes, sight dist mains. List d using one of s, 30-39 years, OF SEVERE WEAR	Fair to poor Fair Good the nature of the uate load capacite ition of surface, ances, drainage so the age of the ithe following cate 40-49 years, 50 - PAVEMENT FAILUMENT FAILUMENT, INLET FAILUMENT, 50	general appraisal ne deficiency of to the deficiency of to the deficiency of the total substandard: structures, sanital infrastructure to the degories: less the deficiency of the definition o

ar oc	ter cor cur?									
I		indicat ng the ap					the pro	oject d	nqofeve	nent b
a)	Has the	: Consult	ant bee	n selec	ted?			Yes	No	N/A
ja }	Prelim	inary dev	elopmen	t or en	gineeri	ng comp	oleted?	Yes	' No	N/A
3)	Details	d constr	uction	plans c	omplete	d?		Yes	No	N/A
(All rig	ght-of-wa	y acqui	red?				Yes	No	N/A
e)	Utility	coordin	ation c	omplete	d?			Yes	NO	N/A
3 i 30'	ve esti t yet co	mate of	time, WITHIN	in week 3 MONTI	s or mo HS OF AI	nths, t PPROVAL	:0 comp : BY 0P	olete a WC, AL	ny item L ABOVE	above
W	ORK WILL	. ВЕ СОМР	LETED S	O THAT	PROJECT:	S CAN B	SE AWAR	DED IN	1990.	
hea	aith, we	the pr lfare, a plicable	nd safe	ty of t	he serv	e acti ice are		impact	the g	enena
hea m (alth, we Vhere ap Overall	ifare, a	nd safe , commen , incl	ty of the nt on the uding	he serv he follo accident	e acti ice are owing: t redu	a.	, ,		
he≀ ■ \	alth, we Where ap Overall should	lfare, a plicable safety	nd safe , commen , incl hed, if	ty of the standard of the stan	he serv he follo accident ble)	e acti ice are owing: t redu	ction	(Acci	dent r	eneral
hea a)	alth, we Where ap Overall should Emergen	lfare, a plicable safety be attac	nd safe , commen , incl hed, if	ty of the nt on the uding a availab	he servine follo accident ble).	e acti ice are owing: t redu	ce, &	(Acci medica	dent r	
hea a)	alth, we Where ap Overall should Emergen Other f	lfare, a plicable safety be attac cy vehic	nd safe , commen , inclined, if le respon i.e., fi	ty of the nt on the uding a vailable onse time protections.	he servented he followed he desidented he desidented he desidented he addition, he addited	e actiice are owing: t redu e, poli	ce, &	(Acci medica rds, en	dent r	ecords
headannean (Additio	lfare, a plicable safety be attac cy vehic actors (nd safe , comment , inclination hed, if le response i.e., find r costs a detor	ty of the nt on the uding a vailable onse time protections.	he servented following the desidente following the desidente following the design of the design and the design and the design of	e actiice are owing: t redu e, poli tional nate ro	ce, & h haza	(Acci medica rds, e	dent r	ecords or the
a) b)	Where ap Overall should Emergen Other f Addition users t	elfare, a plicable safety be attac cy vehic actors (nd safe , comment , inclination hed, if le respons i.e., finate complete	ty of the nt on the uding a vailable onse time protections. The ur or are the consecutions.	he servented following the desirent following the desirent following will in alternal following the desirent follo	e actiice are owing: t redu e, poli tional hate ro	ce, & h haza distan ute	(Accidentation of the control of the	dent r	ecords or the

<u>Ļ</u>

5.	Are matching funds available? (i.e. Federal, State, MRF, Local, etc.) YES To what extent of anticipated construction cost? 50% List the type and amount of funds being supplied by the local agency. This amount may be from local, Federal, State, Municipal Road Fund (MRF), or other sources. Explain additional funding through other sources being applied for or received for the project. Also, explain any need to accumulate funds for construction at a later date. Complete LOCAL FUNDING SOURCES on Page 6.
	The focal agency shall supply a minimum of 10% of the anticipated construction cost. Additionally, the local agency shall pay for all costs of engineering, inspection of construction, right of way, and the betterment portion of the project. Complete ESTIMATED COST OF PROJECT, on Page 6.
წ ,	Has any formal action by a federal, state, or local government agency resulted in a partial ban or complete ban of the use or expansion of use for the involved infrastructure? NO
	Are there any roads or streets within the proposed project limits that have weight limits (partial ban) or truck restrictions (complete ban)? Have any bridges had weight limits imposed on them (partial ban) or truck prohibitions (complete ban)? Have the issuance of new Building permits been limited (partial ban) or halted (complete ban) because the existing storm/sanitary sewer or water supply system in a particular area is inadequate? Document with specific information explaining what type of ban currently exists and the agency that imposed the ban. NO
7.	What is the total number of existing users that will benefit as a result of the proposed project? Use appropriate criteria such as households, traffic counts, ridership figures for public transit, daily users, etc., and equate to an equal measurement of users.
	For roads and bridges, multiply current documented Average Daily Traffic by 1.2 occupants per car (I.T.E. estimated conversion factor) to determine users per day. Ridership figures for public transit must be documented. Where the facility currently has any restrictions or is partially closed, use documented traffic counts prior to restriction. For storm sewers, sanitary sewers, water lines, and other related facilities, multiply the number of households in the

USERS = 10,800

per day.

ADT = 9,000

service area by four (4) to determine the approximate number of users

- 8. The applicant has conducted a study of its existing capital improvements and their condition. A five year overall Capital Improvement Plan (that shall be updated annually) is attached or on file with the District 2 Integrating Committee for the current year or shall be submitted by March 31 of the program year. The Plan shall include the following:
 - a) An inventory of existing capital improvements, including their condition,
 - b) A plan that details capital improvements needs during the next five years and,
 - c) A list of the political subdivision's priorities in addressing these needs.

The attached Form 1 shall be completed for those projects which are being submitted for Issue 2 funds.

regional significance? (Number of jurisdictions served, size o service area, trip lengths or lengths of route, functiona classification)
THIS STREET IS PART OF THE FEDERAL AID URBAN SYSTEM AND IS
CLASSIFIED AS A COLLECTOR STREET.

10.) ESTIMATED COST OF PROJECT

ACTIVITY	ISSUE 2 FUNDS		LOCAL FUNDS
Planning, Design, Engineering	(100% Local)	\$	6,000
Right-Of-Way/Real Property	(100% Local)	\$	N/A
Inspection of Construction	(100% Local)	\$	10,000
Construction and Contingencies	\$91,000	\$	111,000
Betterment Portion	(100% Local)	\$	N/A
Subtotal	\$ 91,000	\$	127,000 **
Grand Total (Issue 2 Funds Plus Local FUNDING SOURCES	al Funds)	• ‡	218,000
Municipal Road Fund (MRF)		\$	
State Fuel & License Funds		¥	
Local Road Taxes		‡	
Local Bond or Operating Funds		ŧ	127,000
Misc. Funds (Specify)		\$	
Total Local Funds		‡	127,000 **

^{**} These numbers must be identical

CAPITAL IMPROVEMENT PLAN

LOCAL ABILITY TO PAY

A.	Previous Capital Budget For Infrastructure Projects* Budget is based on expenditures or appropriations)* (Circle one)							
	Funding (in thousands of dollars)	% of TOTAL expenditure appropriat	es/	% of TOTAL C budget USED INFRASTRUCTL REPAIR/REPLA	FOR JRE			
	1986 \$ 8,552	12	%	35	%			
	1987 \$ <u>14,983</u>	<u>12</u>	%	52				
	1988 \$ 14,019	. 11	%	53				
	1989 \$ <u>26,903</u> (est.)	15	<u>'</u> %	75	%			
-								
в.	Projected Capital Budget For	r Infrastruc	ture Pro	jects*				
	Budget is based on expendit	ures or appr	opriatio	ons * (Circle or	ne)			
-		% of TOTAL expenditures/ appropriations		% of TOTAL Capital budget USED FOR INFRASTRUCTURE REPAIR/REPLACEMENT				
	Funding (in thousands of dollars)	expenditur	es/	budget USED INFRASTRUCTI	FOR JRE			
		expenditur	es/	budget USED INFRASTRUCTI	FOR JRE			
·	of dollars)	expenditur appropriat	es/ ions	budget USED INFRASTRUCTU REPAIR/REPLA	FOR JRE ACEMENT			
	of dollars) 1990 \$ <u>32,125</u>	expenditur appropriat	es/ ions % %	budget USED INFRASTRUCTU REPAIR/REPLA BO	FOR JRE ACEMENT			
Brief exper	of dollars) 1990 \$ 32,125 1991 \$ 31,107	expenditure appropriat 16 17 17 ropriated for the Reductions for 1 for previous	es/ ions ions%%% r constr n (10% 989-92 ous year	budget USED INFRASTRUCTOREPAIR/REPLA 80 70 80 uction CONTRACT or more) in as compared s. (It is the	FOR JRE ACEMENT " " " " TS. projected to actual intent of			

	e jurisdiction utilize any (circle answer)	σf	the	following	methods	for	funding
	Local income tax			Yes	No		
	Permissive license plate fee.			Yes	No		
	Bridge and road levies			Yes	(NO)		
	Tax increment financing and/o capital improvement bond is		• • • • ·	Yes	No		
	Direct user fees			Yes	No		
	Permit fees and fines			Yes	No		
The	<u>HORIZATION</u> applicant hereby affirms tha ject is selected.	t loc	al f	unds will	be prov	ided	if this
ny photo ther ava roject.	ttach with application ographs, reports, plans or ailable data on the	Sign	Ox matyler	lalum_			
801	PLUM STREET	Name	/ _{sco}	TT JOHNSO	N		- 1 44 - 44 - 44
CIN(ddress	CINNATI. OHIO 45202	Posi	CIT tion	Y MANAGER			
(513 hone (Wo	3) 352-3241 ork)	Loca		Y OF CINC risdictio			never with with 1 half disk-films

NOTE THAT THIS FORM IS BEING OFFERED FOR APPLYING JURISDICTION/AGENCIES: INFORMATION PURPOSES ONLY. IT WILL BE FILLED OUT BY THE SUPPORT STAFF, BASED ON INFORMATION SUPPLIED ON APPLICATION FORMS.

OHIO'S INFRASTRUCTURE BOND PROGRAM (ISSUE #2)

DISTRICT 2 - HAMILTON COUNTY

1990 PROJECT SELECTION CRITERIA

JURISDICTI	ON/	AGENCY: City of Commati		
PROJECT IDENTIFICATION:				
Cir ·	9011	- 24 Vidare Persona (South) Rehab litation		
Linea	ln .	- 28 Victory Parkway (South) Rehabilitation		
PROPOSED F		ING:		
ELIGIBLE C	CATE	GORY:		
Home	lu			
	· · · · · · · · · · · · · · · · · · ·			
POINTS				
10	l.	Type of Project		
		10 points - Bridge, road, storm water. 3 points - All other type projects.		
10	2.	If Issue 2 Funds are awarded, how soon after the agreement with OPWC is completed would bids occur?		
		10 points - Will be let in 1990 5 points - Likely to be let in 1990 0 points - Not likely to be let in 1990		

serviceability of the condition and/or What is the infrastructure to be replaced or repaired. For bridges, base condition on latest general appraisal and condition rating.

10 points - Closed

8 points - Extremely Poor

6 points - Poor

4 points - Fair to Poor

2 points - Fair

0 points - Good

Of the total infrastructure within the jurisdiction which is similar to the infrastructure of this project, what portion can be classified as being in poor to very poor in condition, and/or inadequate in service.

10 points - 50% and over

8 points - 40% and over

6 points - 30% and over

4 points - 20% and over

2 points - 10% and over

How important is the project to the health, welfare and safety of the public and the citizens of the district and/or the service area?

10 points - Significant importance

8 points -

¥2

6

6 points - Moderate importance

4 points -

2 points - Minimal importance

What is the overall economic health of the jurisdiction?

lo 20 points - Poor

8 16 points -

6 12 points - Fair

4 & points -

2 4 points - Excellent

Are matching funds for this project available? To what extent of Federal, State, MRF, Local, etc.). estimated construction cost?

10 points - More than 50%

8 points - 40-50% and over

6 points - 30-49% and over

4 points - 20-29% and over

2 points - 10-19% and over

55% of loves look

	8.	Has any formal action by a Federal, State or local governmental agency resulted in a partial or complete ban of the use or expansion of use for the involved infrastructure. This includes reduced weight limits on bridges.
		10 points - Complete ban 5 points - Partial ban 0 points - No action -
	9.	What is the total number of existing users that will benefit as a result of the proposed project. Use appropriate criteria such as households, traffic count, public transit, daily users, etc. and equate to an equal measurement of persons.
		5 points - Over 10,000 4 points - Over 7,500 to 9,999 3 points - Over 5,000 to 7,499 2 points - Over 2,500 to 4,999 1 points - Under 2,449
_3	10.	Does the infrastructure have regional impact? (May consider size of service area, trip length or total length of route, number of jurisdictions, functional classification, etc.)
		5 points - Major impact 4 points - 3 points - Moderate impact 2 points - 1 points - Minimal impact
19		AL POINTS
	heij	h Mithet Nyphiels 11/2/89
	the.	Nyofiels 11/2/89
		Réviewer Names /Date